A BETTER
VIEW
OF THE
WORLD



MeoHunter B

User manual

EN

CZ **NIKDY SE NEDÍVEJTE OPTICKÝM PŘÍSTROJEM PŘÍMO DO SLUNCE!**

EN **NEVER LOOK DIRECTLY INTO THE SUN THROUGH THE DEVICE!**

DE **SCHAUEN SIE NIEMALS DURCH DAS OPTISCHE GERÄT DIREKT IN DIE SONNE!**

FR **NE JAMAIS UTILISER LE DISPOSITIF OPTIQUE POUR REGARDER LE SOLEIL DIRECTEMENT !**

IT **NON GUARDARE MAI DIRETTAMENTE IL SOLE ATTRAVERSO LO STRUMENTO OTTICO!**

ES **NUNCA MIRE AL SOL DIRECTAMENTE MEDIANTE NINGÚN TIPO DE INSTRUMENTO ÓPTICO!**

PT **NUNCA OLHE DIRETAMENTE PARA O SOL COM O DISPOSITIVO ÓPTICO!**



Dear customer,

All optical devices made and marketed by Meopta s.r.o. are manufactured using state-of-the-art technologies and standards to give the user long-term satisfaction.

To ensure a reliable, trouble-free service life, Meopta s.r.o. takes this opportunity to provide detailed information on the operation, maintenance and safe use of the optical device purchased.

Please read this manual carefully before installing and using the optical device.

In the event of a complaint or defect, contact your dealer or the manufacturer directly – Meopta , s.r.o.
For information about our products, news and dealers, visit **www.meoptasportsoptics.com**.

MeoHunter B



MG-AL BODY

magnesium-aluminium alloy body



ERGONOMIC

Perfectly balanced ergonomic design.



WATERPROOF

The binoculars are fully waterproof even when immersed in water and they are completely protected against humidity, rain and snow.



RESILIENT

Robust mechanical design and rubberized body armor protects the binoculars from external damage.



ANTI-REFLECTIVE COATINGS

Anti-reflective coatings provide exceptional permeability.



NITROGEN-FILLED

Binoculars are hermetically sealed, filled with inert gas, which prevents internal condensation (fogproof).



TWIST-UP EYECUPS

For comfortable use with or without glasses.




HYDROPHOBIC COATING

The external optical surfaces are coated with a special water-repellent layer.

▽ 1. DESCRIPTION OF THE OPTICAL DEVICE

MeoHunter B 8x42
MeoHunter B 10x42


01. Rubber-coated binocular body (left- and right-hand oculars)
02. Objective lens
03. Eyepiece with twist-up eyecup
04. Focusing knob
05. Dioptric correction knob
06. Binocular central joint with a threaded tripod mount (after unscrewing the cover)



▽ 2. ADJUSTING DIOPTRIC CORRECTION

Procedure for setting dioptric correction:

- cover the right lens with the cap
- focus with the dial (04)
- uncover the right lens and cover the left lens with the cap
- focus with the dial (05) (be careful not to rotate the dial 04)



▽ 3. ADJUSTING THE INTERPUPILLARY DISTANCE (BETWEEN EYES)



▽ 4. IMAGE FOCUSING

Only use the center focus knob (04) to sharpen when changing the observed distance.



▽ 5. ADJUSTING THE TWIST-UP EYECUPS

Observation without glasses - slide the eyecups (03) to the max. position by turning to the left.You can also click into two intermediate positions as required.
Observation with glasses - keep the eyecups in the retracted position.



6. USE OF STRAP AND CASE

The package also includes a strap for comfortable wearing. It can be used for binoculars or a bag.
To attach to the binoculars, use the eyelets on the side, by simply threading the endof the strap.
The eyepiece cap eyelets can also be threaded at your discretion.
To attach the strap to the bag, follow the same procedure as for binoculars.
Extra strap ends are included in the package. To change the use of the strap on the binoculars or bag at your discretion.







▽ 7. MAINTENANCE AND CLEANING

▽ IMPORTANT:

1. RESCULE PROTECTS FROM FALLS AND IMPACTS ON HARD OBJECTS
2. ONLY CLEAN THE GLASS AS RECOMMENDED
3. PROTECT THE OPTICAL SURFACES WITH CAPS
4. LEAVE EYECUPS IN RETRACTED POSITION IF WEARING EYEGLASSES

All Meopta scope feature a robust dust-proof and water-proof design but, like any other optical-mechanical devices, they require careful handling and protection of optical surfaces against damage.

When the scope is not being used, its outer optical surfaces should be protected with the supplied covers. Dust deposits on the mechanical parts of the binocular should be removed with a soft cloth. Dust on the optical parts should be blown off or wiped off gently with an antistatic cloth supplied with the binocular. After using the binocular in rain, we recommend thorough drying with a soft cloth.

Store the binocular in a dry, ventilated area. For storage in humid or tropical conditions we recommend placing the binocular in a case along with a moisture absorbing agent such as silica gel.

▽ 8. PACKAGE CONTENS

Binocular
Objective and eyepiece lens caps
Binocular strap
2 spare strap ends
Optical cleaning cloth
Carrying case
Carrying case strap
User manual

9. SPECIFICATIONS

	8x42	10x42
Magnification	8x	10x
Objective diameter (mm)	42	42
Field of view (°)	7,5	6
Field of view (m/1000m)	131	105
Eye relief (mm)	17	15
Exit pupil diameter (mm)	5,2	4,2
Minimum focusing distance (m)	2,5	3
Diopter adjustment range (Dpt)	±4	±4
Device dimensions – length (mm)	143 - 151,5	143 - 151,5
Width at 65 mm eye distance (mm)	125	125
Tripod mount size	1/4"	1/4"
Device weight (g)	785	765

Imperial and US customary units

	8x42	10x42
Magnification	8x	10x
Objective diameter (mm)	42	42
Field of view (°)	7,5	6
Field of view (ft/1000yd)	393	315
Eye relief (in)	0,67	0,59
Exit pupil diameter (in)	0,21	0,17
Minimum focusing distance (ft)	8,2	9,84
Diopter adjustment range (Dpt)	±4	±4
Device dimensions – length (in)	5,6 - 6	5,6 - 6
Width at 2,56 in eye distance (in)	4,9	4,9
Tripod mount size	1/4"	1/4"
Device weight (oz)	27,6	27

▽ 10. SAFETY AND ECOLOGY

▽ IMPORTANT:

INSTRUCTIONS FOR DISPOSING OF THE PRODUCT AT THE END OF ITS LIFETIME.

For customers in the European Union

This device complies with European Union Directives 2011/65/EU, 2012/19/EU, and 2014/30/EU.

Product

At the end of its life cycle, dispose of the product as waste category O – catalogue number 20 03 01 – mixed municipal waste.

Information for customers outside the European Union

At the end of the product's life, please follow local waste disposal regulations. Disposal methods may vary depending on the country.

The images used in this manual are for illustration only and may differ slightly from the product you have purchased.

MeoHunter B – EN – 1085559 rev. B

Meopta s.r.o.

Kabelíkova 1
Přerov 750 02
Czech Republic
tel. +420 581 241 111
www.meopta.com